

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase -- 1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड  
BOARD OF GOVERNORS  
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI(34)(41)(Gen)-Med/2020 109747

Date: 20/7/2020

**BY-EMAIL**

To,

Dean/Principal  
All Govt. and Private Medical Colleges/Institutions

**Subject: Inclusion of BSL-2 level laboratory testing facility of infectious pathogens in all the Medical Colleges- Reg.**


- Ref. : (i) Letter No. MCI-7(9)SG/2019-Med./201873, dated 10.04.2020  
(ii) Letter No. MCI(34)(41)(Gen)-Med/2020/103203, dated 02.06.2020  
(iii) Letter No. MCI(34)(41)(Gen)-Med/2020 / 104795, dated 16.06.2020  
(iv) Letter No. MCI(34)(41)(Gen)-Med/2020 / 105508, dated 24.06.2020

Sir / Madam,

Please refer to this office letters dated 10.04.2020, 02.06.2020, 16.06.2020, 24.06.2020 and 07.07.2020, wherein you were requested providing for setting up of a BSI.-2 level, RT-PCR facility laboratories in the Department of Microbiology in all the Medical Colleges.

It has been observed from the ICMR website that your college has no BSL-2 testing laboratory and the same is mandatory in accordance with the provisions of the Minimum Standard Requirement for 50/100/150/200/250 MBBS Admissions Annually Regulations, 1999 (notified in the Gazette of India on 08.06.2020).

You are, therefore, directed to submit compliance report of setting up of BSL 2 Lab within a period of 14 days from the date of issue of this letter otherwise the Board of Governors will be constrained to withdraw the permission / recognition granted to your college.

Yours faithfully,  
  
(Dr. R.K Vats)  
Secretary General


Contd. ....2/-

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase – 1, New Delhi-110077

## भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड

### BOARD OF GOVERNORS IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

//2//

Copy :

1. The Secretary to the Govt. of India, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
2. The Joint Secretary (Medical Education), Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
3. The Director, Medical Education, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
4. The Under Secretary to the Govt. of India (Medical Education), Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
5. Guard File UG Section

Copy for information:

1. The Chief Secretary of all States
2. The Additional Chief Secretary / Principal Secretary / Secretary of all States

दूरभाष/Phone : 25367033, 25367035, 25367036  
फैक्स /Fax : 0091-11-25367024  
ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)  
वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase – 1, New Delhi-110077

**भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड**  
**BOARD OF GOVERNORS**  
**IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA**

No. MCI(34)(41)(Gen)-Med/2020/ 107369

Date: 09-07-2020

BY EMAIL/MCI WEBSITE

To,

The Directors/ Vice-Chancellor/ Head of Institutions of all Mentor Institutes.

Subject:- Establishment of BSL-2 level RT-PCR Laboratories as per Minimum Standard Requirements for Graduate Medical Education 50/100/150/200/250.

Madam/Sir,

This is in continuation of MCI letters No. MCI(34)(41) (Gen)-Med/2020/107134 dated 7.7.2020, on the above subject matter.

2. During our review meeting, it was discussed that there is need to assess the status of readiness of Medical Colleges regarding establishment of BSL-2 level RT-PCR Laboratories which is now mandatory as per Minimum Standard Requirements for 50/100/150/200/250 Admissions Annually Regulations.

3. In this regard, Board of Governors, MCI authorizes Directors of All India Institute of Medical Sciences (AIIMS) at Delhi, Jodhpur, Nagpur, Bhubaneswar, Bhopal and Raipur, Director, Postgraduate Institute of Medical Education and Research (PGIMER), Chandigarh, Vice Chancellor, King George Medical University, Lucknow, Director, North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS), Shillong, Director, National Institute of Mental Health and Sciences (NIMHANS), Bengaluru, Director, Sree Chitra Tirunal Institute for Medical Sciences & Technology (SCTIMST), Puducherry, Director & Commandant, Armed Forces of Medical Sciences (AFMC), Pune, Director, Nizam Institutes of Medical Sciences (NIMS) Telangana, Hyderabad and Director Jawaharlal Institute of Postgraduate Medical Education & Research (JIPMER), Puducherry for assessment of status of BSL-2 lab in the Medical Colleges under their Mentorship.

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase – 1, New Delhi-110077

**भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड**  
**BOARD OF GOVERNORS**  
**IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA**

3. Assessment may be made through physical assessment/Inspection as well as through Video-Conferencing (VC) by any faculty of your institution duly authorized. Expenditure on such assessment/inspection incurred by respective Medical institution shall be borne by BoG-MCI if required.
4. Based upon such assessment report the BoG-MCI shall initiate action against the Colleges having deficiency of BSL -2 Lab in accordance with the provisions of Indian Medical Council Act, 1956 and the Regulations made there under.

Yours faithfully,

(Dr. R.K Vats)  
Secretary General

Copy to:-

1. Secretary, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
2. Joint Secretary (Medical Education) Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
3. Director, Medical Education, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
4. Under Secretary, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase – 1, New Delhi-110077

## भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड

### BOARD OF GOVERNORS IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI(34)(41)(Gen)-Med/2020 107134

Date: 07-07-2020

BY E-MAIL/MCI WEBSITE

To,

The Dean /Principal  
All the Govt./ Private Medical Colleges

**Subject: Status of setting up of BSL-II Lab in pursuance of MCI Regulations notified on 08.06.2020 -Reg.**

- Ref. : (i) Letter No. MCI-7(9)SG/2019-Med./201873, dated 10.04.2020  
(ii) Letter No. MCI(34)(41)(Gen)-Med/2020/103203, dated 02.06.2020  
(iii) Letter No. MCI(34)(41)(Gen)-Med/2020 / 104795, dated 16.06.2020  
(iv) Letter No. MCI(34)(41)(Gen)-Med/2020 / 105508, dated 24.06.2020

Madam/Sir,

This is to bring to your attention again that the Board of Governors in supersession of Medical Council of India with the prior approval of Ministry of Health and Family Welfare, Govt. of India, have notified in the Gazette of India on 8.6.2020, amendments in the Minimum Standard Requirements for 50/100/150/200/250 Admissions Annually Regulations, 1999, providing for setting up of a BSL-2 level, RT-PCR facility laboratories in the Department of Microbiology in all the Medical Colleges.

2. While we have been reminding about need of establishment of BSL-2 Lab with RT-PCR facility time and again, it has been observed that many colleges are yet to establish such labs as provided in the MSR. Please note that as per Regulations of the Council, the above requirements are mandatory even if there is existing facility of TruNAT, CBNAAT or Gene Expert. Therefore, it is once again urged upon all the Medical Colleges to set up BSL-2 level laboratory forthwith. The BoG-MCI may at anytime carry out assessment to verify the availability of such facility in your College. Such assessments may also be carried out by the Mentor Institutes i.e All India Institute

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase – 1, New Delhi-110077

## भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड

### BOARD OF GOVERNORS IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

of Medical Sciences (AIIMS), Postgraduate institute of Medical Education and Research (PGIMER), Chandigarh, King George Medical University(PGIMER), North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS), National Institute of Mental Health and Sciences (NIMHANS), Sree Chitra Tirunal Institute for Medical Sciences & Technology (SCTIMST), Armed Forces of Medical Sciences(AFMC), Nizam Institutes of Medical Sciences (NIMS) Telangana. In the event of non availability of such facility, the BoG MCI shall be constrained to revoke the permission in respect of courses offered by your College and/or recommend to the Central Govt. for withdrawal of recognition of your college.

3. This may be treated as most urgent.

Yours faithfully,

(Dr. R.K Vats)

Secretary General

Copy To:-

1. The Secretary to the Govt. of India, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
2. The Joint Secretary (Medical Education), Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
3. The Director, Medical Education, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
4. The Under Secretary to the Govt. of India (Medical Education), Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
5. Guard File UG Section

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase – 1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड  
BOARD OF GOVERNORS  
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI(34)(41)(Gen)-Med/2020 107134

Date: 07-07-2020

BY E-MAIL/MCI WEBSITE

To,

The Directors/ Vice-Chancellor/  
Head of Institutions of all Mentor Institutes.

**Subject:- Establishment of BSL-2 level RT-PCR Laboratories as per Minimum Standard Requirements for Graduate Medical Education 50/100/150/200/250-Reg.**

Madam/Sir,

During our review meeting, it was discussed that there is need to assess the status of readiness of Medical Colleges regarding establishment of BSL-2 level RT-PCR Laboratories which is now mandatory as per Minimum Standard Requirements for 50/100/150/200/250 Admissions Annually Regulations.

2. In this regard, Board of Governors, MCI authorizes Directors of All India Institute of Medical Sciences (AIIMS); Director, Postgraduate Institute of Medical Education and Research (PGIMER), Chandigarh; Vice Chancellor, King George Medical University; Director, North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS); Director, National Institute of Mental Health and Sciences (NIMHANS); Director, Sree Chitra Tirunal Institute for Medical Sciences & Technology (SCTIMST); Commandant, Armed Forces of Medical Sciences (AFMC); Director, Nizam Institutes of Medical Sciences (NIMS) Telangana for assessment of status of BSL-2 lab in the Medical Colleges under their Mentorship.

3. Assessment may be made through physical assessment/Inspection as well as through Video-Conferencing (VC) by any faculty of your institution duly authorized. Expenditure on such assessment/inspection incurred by respective Medical institution shall be borne by BoG-MCI, if required.

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : [mci@bol.net.in](mailto:mci@bol.net.in)

वेबसाईट /Website : [www.mciindia.org](http://www.mciindia.org)



पॉकेट -14, सेक्टर-8, द्वारका,  
फेस-1, नई दिल्ली-110077  
Pocket- 14, Sector- 8, Dwarka,  
Phase - 1, New Delhi-110077

**भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड**  
**BOARD OF GOVERNORS**  
**IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA**

4. Based upon such assessment report the BoG-MCI shall initiate action against the Colleges having deficiency of BSL-II Lab as prescribed in Minimum Standard Requirement Regulations, 1999 vide Gazette notification dated 08.06.2020 in accordance with the provisions of Indian Medical Council Act, 1956 and the Regulations made there under.

Yours faithfully,

(Dr. R.K Vats)

Secretary General

Copy To:-

1. The Secretary to the Govt. of India, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
2. The Joint Secretary (Medical Education), Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
3. The Director, Medical Education, Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
4. The Under Secretary to the Govt. of India (Medical Education), Ministry of Health and Family Welfare, Nirman Bhawan, New Delhi
5. Guard File UG Section