

दूरभाष/Phone: 25367033, 25367035, 25367036

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाइट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,

द्वारका फेस-1, नई दिल्ली-110077

Pocket- 14, Sector- 8, Dwarka,

Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS

IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI-Computer/401/2019/ *103362 — 103928*

Date: 12.04.2019

To,
The Dean/Principal
All Medical Colleges/PG Institutions of India

Sub: Implementation of IP Based CCTV solution at Medical Colleges (DMMP II) – Reg.

Dear Sir/ Madam,

This is with reference to the following point No 2 of our earlier letter No. 185099-185648 dated 01.03.2019 regarding the subject mentioned above, where it was mentioned as under:

“2. To provide internet connectivity to switches with dedicated bandwidth of 5 MBPS or more preferably through Multi-Protocol Label Switching (MPLS) line as desired by SI. The expenditure and the annual rental charges for the internet line shall be borne by the College/Institute.”

In this context this is to inform you that the representatives of System Integrator and M/s Airtel, the services provider have approached you to take internet connection from AIRTEL (copy enclosed).

In this regard it is stated that Medical Council of India superseded by Board of Governors (BOG) has never advised/recommended to take the Multi-Protocol Level Switching (MPLS) or Internet Leased Line (ILL) from Airtel. The BOG has not issued any letter/endorsement/award of Contract/Technical Recommendation to the College's or system Integrator for engagement of AIRTEL as the sole service provider for the MPLS/ILL. The college may opt for Internet Leased Line (ILL) or Multi-Protocol Level Switching (MPLS) Connectivity from any service provider with dedicated bandwidth of 5 Mbps or more. The Cost is to be borne by the College Authorities.

The Council office is initiating proceedings against the Management of Airtel and System Integrator for fraudulently using MCI Circular for commercial gain and misleading the Medical Colleges.

You are therefore directed to take the Internet Leased Line (ILL) or Multi-Protocol Level Switching (MPLS) Connectivity from any service provider. You are also requested to use the email id cctv.dmmp2@mciindia.org for any future correspondence regarding DMMP-II.

Yours Faithfully,

Anupam Dhua
(Computer Programmer)

O/c

दूरभाष/Phone: 25367033, 25367035, 25367036

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाईट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,

द्वारका फेस-1, नई दिल्ली-110077

Pocket- 14, Sector- 8, Dwarka,

Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड
BOARD OF GOVERNORS
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI-Computer/401/2019/

Date:12.04.2019

Copy to:

- 1) PS to Chairman, Medical Council of India
- 2) PA to Secretary General, Medical Council of India,
- 3) Deputy Secretary (Admn./Finance), Medical Council of India
- 4) M/s Bodhtree Consulting Ltd.
- 5) Guard File

Anupam Dhua
(Computer Programmer)

Bharti Airtel Ltd.
2nd Floor
Zodiac Square
Opp. Gurudwara,
S.G. Highway
Ahmedabad - 380054
Gujarat, India.

www.airtel.in
call : +91 79 40090100
fax : +91 79 40090114



Reference no: 625726
Date: March 16 2019

Proposal for MPLS, Connectivity between College & MCI- HUB Dwarka

Attn.: Dean Sir/Nodal Office

Subject: Commercial Proposal for MPLS Connectivity in reference of MCI letter no MCI-Computer/401/2018 dated 10th Dec 2018, which is enclosed herewith.

Dear Sir/Madam,
Please find requested connectivity quote.

Sr	Product	B/w	One Time / Installation Charges	Annual Recurring Charges
1	Managed MPLS Connectivity with Router for 8 Mbps speed	8Mbps	10,000	1,40,000

Terms & Conditions:

1. TAXES EXTRA.
2. Notice Period: 1 Month & Contract Period: 3 year FRC.
3. Payment terms: Payment terms will be quarterly/Half Yearly/
4. Yearly in Advance.
5. Validity: Price given in this quote is valid for 30 days.
6. Delivery Period: 4-5 Weeks
7. General T&Cs/MSA/SLA conditions apply additionally.

Kindly revert your queries, if any. Looking forward to your valuable business! In the meanwhile, thanking you and assuring you of our best service always.



vinay dhanesha | bharti airtel limited | T +91 99099 47901 & 98985 49076 |
Vinay.dhanesha@airtel.com



E-mail of System Integrator

From: Helpdesk DMMP2

Sent: Wednesday, January 23, 2019 10:33 AM

To: Dr Jyotirmay Kirtania <dr.jyotirmay.kirtania@esic.nic.in>; CCTV DMMP2 <cctv.dmmp2@mciindia.org>

Cc: Dean, ESI-PGIMSR, ESIC Medical College, Joka <deanpgi-joka.wb@esic.nic.in>; Suchanda Sen <suchanda.sen@esic.nic.in>; TANMOY CHAKRABORTY <tanmoy.chakraborty@esic.nic.in>

Subject: RE: Connectivity between college and MCI Dwarka

Dear Sir

Please refer our trailing email in which we have clearly mentioned that

"MPLS connectivity between your college and at MCI Delhi is preferable and technically we need to have same service provider at both end i.e. at MCI Dwarka New Delhi and at your college. At MCI Dwarka New Delhi we have taken AIRTEL MPLS Connectivity. Hence at college end also Airtel MPLS connectivity is required."

I hope it clarifies your quarry regarding connectivity. In case you need any further clarification please feel free to contact us.

Thanks & Regards
DMMP II Help Desk

From: "Helpdesk DMMP2" <helpdesk.dmmp2@mciindia.org>

To: "Helpdesk DMMP2" <helpdesk.dmmp2@mciindia.org>

Sent: Monday, January 14, 2019 4:43:56 PM

Subject: Connectivity between college and MCI Dwarka

Dear Sir/Madam,

This has reference to MCI letter no MCI-Computer/401/2018 dated 10th Dec 2018. Which is enclosed herewith.

Point No 12 of above referred letter indicates that college is required to provide internet connectivity to switch with dedicated bandwidth of 5 MBPS or more preferably through Multi-Protocol label Switching (MPLS) as desired by SI and expenditure towards the connectivity shall be borne by college.

Technically we need to have same service provider at both end i.e. at MCI Dwarka New Delhi and at your college. At MCI Dwarka New Delhi we have taken AIRTEL MPLS Connectivity.

Hence at college end also Airtel MPLS connectivity is required. Airtel people are willing to provide the MPLS at very competitive rates.

In this connection the quotation for MPLS Connectivity and purchase order format to release order from your end is enclosed herewith.

College need to send following documents to process the order.

- 1) Purchase order on college letter head (format attached – 2nd attachment)- both page on letter head.
- 2) Sing and stamp on Airtel form along with Cross stamp on photo s
- 3) KYC Document of organization/college
 - a. PAN Card of College
 - b. ID Proof of Signing Authority
 - c. GST Certificate of Colleges (in full 3pages)- in case of GST Certificate not available, for KYC you are requested to submit Trust Certificate(as organization registration certificate) & list of "trustee/director" page from Trust Deed or bylaws
 - d. Authority letter in case of authorized signature other than Owner/Partner/Director (as their name would not be there in GST certificate or list of Trustee.

The service provider has created special SPOC for MCI – +91-9724121000. Do call them for any further query
You may also call on below Number

1-Mr Vinay Dhanesha (Airtel Account Manager): - +91- 9909947901

Email id-

Vinay.dhanesha@airtel.com.

2- Mr Dinesh Dabral :- +91- 8810339978

3- Mr Abhishek:-

+91- 7004419952

Note

:-Kindly refer the attach P.O raised by Government college to proceed further with Airtel MPLS.

Thanks & Regards
Help Desk
DMMP II Project
MCI Dwarka

दूरभाष/Phone: 25367033, 25367035, 2536703

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाइट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,
द्वारका फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS

IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

सं. भा.आ.प.- कम्प्यूटर/401/2018/

185099-185648/-

दिनांक : 01.03.2019

सेवा में,

डीन/प्रधानाचार्य,

भारत के सभी मेडिकल कालेज/स्नातकोत्तर संस्थान

विषय: मेडिकल कालेजों में आईपी आधारित सीसीटीवी समाधान (डीएमएमपी- II) का कार्यान्वयन।

प्रिय महोदय/महोदया,

यह पत्र, ऊपर उल्लिखित विषय के संबंध में हमारे पिछले पत्र संख्या भा.आ.प.-कम्प्यूटर/401/163675-164205 दिनांक 16.01.2019, भा.आ.प.-कम्प्यूटर/401/151073 दिनांक 10.12.2018 और पत्र संख्या भा.आ.प.-कम्प्यूटर/401/127991-128534 दिनांक 07.08.2018 के क्रम में है। इस संबंध में आपको सूचित किया जाता है कि आपके कालेज परिसर में तीन कैमरों में से एक कैमरा कक्षा (व्याख्यान थिएटर) में, एक प्रयोगात्मक प्रयोगशाला (पैथोलॉजी) में और तीसरा ओपीडी में, संस्थापित किया जाएगा।

आपसे यह भी अनुरोध किया गया था कि पिछले पत्र के अंतर्गत आप पहले ही संसूचित शर्तों के अलावा दिनांक 15.02.2019 तक निम्नलिखित को सुनिश्चित करें :-

1. आईपीसेक राउटर का प्रापण करना और कालेज तथा भारतीय आयुर्विज्ञान परिषद् आंकड़ा केन्द्र के बीच संयोजन करने के लिए पब्लिक आईपी उपलब्ध कराना, यदि कालेज ने इंटरनेट लीज लाइन (आईएलएल) लेने का निर्णय लिया है।
2. एसआई द्वारा यथाअपेक्षित, 5 एमबीपीएस या इससे अधिक के समर्पित बैंडविथ वाले स्विचों के साथ इंटरनेट संयोजनीयता, वरीयतः मल्टी-प्रोटोकॉल लेबल स्विचिंग (एमपीएलएस) के जरिए इंटरनेट संयोजनीयता उपलब्ध कराना। इंटरनेट लाइन के लिए खर्च और वार्षिक किराया प्रभार, कालेज/संस्थान द्वारा वहन किया जाएगा।

सिस्टम इंटीग्रेटर (मैसर्स बोधट्री कंसल्टिंग लिमिटेड) द्वारा यह सूचित किया गया है कि कुछ कॉलेज अपने कॉलेज परिसर में आईपी आधारित सीसीटीवी समाधान कार्यान्वित करने में उनका सहयोग नहीं कर रहे हैं।

अतः आपसे पुनः अनुरोध है कि " 50,100,150,200,250 दाखिले प्रतिवर्ष के लिए मेडिकल कालेज के लिए न्यूनतम मानक शर्तें विनियमावली, 1999 " के खंड संख्या क.1. 23(ख) का अनुपालन करें और अपने कालेज परिसर में आईपी आधारित सीसीटीवी समाधान के कार्यान्वयन में एसआई के प्रतिनिधि के साथ सहयोग करें।

दूरभाष/Phone: 25367033, 25367035, 2536703

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@boi.net.in

वेबसाइट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,
द्वारका फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS

IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

कृपया क्रम संख्या 1 और 2 पर दी गई शर्त पूरी करें और अंततः 15.03.2019 तक निम्नलिखित स्टेटस उपलब्ध कराना भी सुनिश्चित करें :-

क्र.सं.	अपेक्षित ब्योरे	हां/नहीं
1.	क्या एसआई द्वारा भेजे गए 1 स्विच के साथ तीन कैमरे आपके द्वारा प्राप्त किए गए हैं ?	
2.	क्या स्विच के साथ तीन कैमरे, आपके कालेज के (1) कक्षा में (2) पैथोलॉजी प्रयोगशाला में (3) ओपीडी में एसआई द्वारा संस्थापित कर दिए गए हैं ?	
3.	क्या ये कैमरे, सीएटी-6 केबल के जरिए नेटवर्क स्विच के साथ जुड़े हुए हैं ?	
4.	क्या स्विच और तीन कैमरों के बीच संयोजनीयता का परीक्षण एसआई इंजीनियर द्वारा कर लिया गया है ?	
5.	क्या नेटवर्क स्विच, यूपीएस सिस्टम द्वारा समर्थित है ?	
6.	क्या कैमरे, भारतीय आयुर्विज्ञान परिषद् आकंड़ा केन्द्र में सीसीटीवी निगरानी करने के लिए इंटरनेट संयोजनीयता के साथ जुड़े हुए हैं ?	
7.	कोई अन्य टिप्पणी/अभ्युक्ति।	

यह नोट किया जाए कि एमएसआर विनियमावली में उल्लिखित निर्देशों का पालन न करने के परिणामस्वरूप, अनुमति, अनुमति के नवीकरण, मान्यता, सीटों की वृद्धि, स्नातकोत्तर पाठ्यक्रम आरंभ करने या परिषद् की किसी अन्य योजना से मना किया जा सकता है। विनियमावली के उपबंधों का अनुपालन न करने को गंभीरता से लिया जाएगा। उपर्युक्त विनियम के कार्यान्वयन और इस परियोजना के सफल निष्पादन के लिए हम आपका सहयोग और समर्थन चाहते हैं।

आपसे अनुरोध है कि डीएमएमपी-॥ से संबंधित किसी भावी पत्र व्यवहार के लिए ई-मेल आईडी cctv.dmmp2@mciindia.org और helpdesk.dmmp2@mciindia.org का इस्तेमाल करें।

भवदीय,

Vatsal

(डॉ. राकेश कुमार वत्स)
महासचिव

प्रतिनिम्नलिखित को :

1. भारतीय आयुर्विज्ञान परिषद् के अध्यक्ष के निजी सचिव।
2. भारतीय आयुर्विज्ञान परिषद् के महासचिव के वैयक्तिक सहायक।
3. उप-सचिव (प्रशा./वित्त), भारतीय आयुर्विज्ञान परिषद्।
4. कम्प्यूटर प्रोग्रामर।
5. मैसर्स बौध्दी कंसल्टिंग लिमिटेड।
6. गार्ड फाईल (कंप्यूटर अनुभाग)।

दूरभाष/Phone: 25367033, 25367035, 2536703

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाइट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,
द्वारका फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI-Computer/401/2018/

Date: 01.03.2019

To,

The Dean/Principal
All Medical Colleges/PG Institutions of India

Sub: Implementation of IP Based CCTV solution at Medical Colleges (DMMP II) – Reg.

Dear Sir/Madam,

This is in continuation to our earlier letter No. MCI-Computer/401/163675-164205 dated 16.01.2019, MCI-Computer/401/151073 dated 10.12.2018 and letter No. MCI-Computer/401/127991-128534 dated 07.08.2018 regarding the subject mentioned above, this is to inform you that three cameras, one camera in the class room (lecture theatre), one in the practical lab (pathology lab) and 3rd one in the OPD shall be installed at your college premises.

You were also directed to ensure the following in addition to the requirements already communicated in the previous letter latest by 15.02.2019 :-

1. To procure IPsec Router and to provide the Public IP to connect between the college and MCI Data Centre, in case the college has decided to go for Internet Leased Line (ILL).
2. To provide internet connectivity to switches with dedicated bandwidth of 5 MBPS or more preferably through Multi-Protocol Label Switching (MPLS) line as desired by SI. The expenditure and the annual rental charges for the internet line shall be borne by the College/Institute.

It has been reported by the System Integrator (M/s Bodh Tree Consulting Ltd.) that some of the Colleges are not co-operating them in implementing IP based CCTV solution at your college premises.

You are therefore once again directed to comply with the clause No A.1.23(b) of "Minimum Standard Requirements for the Medical College for 50,100,150,200,250 Admissions Annually Regulations, 1999" and cooperate with the representative of SI in implementing IP based CCTV solution at your college premises.

दूरभाष/Phone: 25367033, 25367035, 2536703

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाईट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,
द्वारका फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS

IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

Please also ensure to complete the requirement at Sr. No. 1 & 2 and provide the following status latest by 15.03.2019 :-

S.No.	Details required	YES / NO
1	Whether the 3 cameras along with 1 switch sent by SI has been received by you?	
2	Whether the 3 cameras along with the switch has been installed by SI (1) in the Class Room (2) in the Pathology lab (3) in the OPD of your college?	
3	Whether the cameras are connected with the network switch through CAT-6 cable?	
4	Whether the connectivity between switch and 3 cameras has been tested by the SI Engineer?	
5	Whether the network switch is backed up by UPS system?	
6	Whether the cameras are connected with the internet connectivity to visualize the CCTV surveillance at MCI data center?	
7	Any other comments/remarks.	

It may please be noted that non-compliance of the instructions mentioned in the MSR Regulations, may lead to denial of permission, renewal of permission, recognition, increase of seats, starting of PG courses or any other scheme of the Council. We seek your cooperation and support for implementation of the provisions of the above said regulation and successful execution of the project.

You are requested to use the email id cctv.dmmp2@mciindia.org & helpdesk.dmmp2@mciindia.org for any future correspondence regarding DMMP-II.

Yours Faithfully,

Dr. Rakesh Kumar Vats
Secretary General

Copy to:

- 1) PS to Chairman, Medical Council of India
- 2) PA to Secretary General, Medical Council of India,
- 3) Deputy Secretary (Admn./Finance), Medical Council of India
- 4) Computer Programmer
- 5) M/s Bodhtree Consulting Ltd.
- 6) Guard File (Computer Section)

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : mci@bol.net.in

वेबसाइट /Website : www.mciindia.org



पॉकेट -14, सेक्टर-8, द्वारका,
फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase - 1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

सं. भा.आ.प.- कम्प्यूटर/401/2018/ 163675 -164205

दिनांक :16.01.2019

सेवा में,
डीन/प्रधानाचार्य,
भारत के सभी मेडिकल कालेज/स्नातकोत्तर संस्थान

विषय: मेडिकल कालेजों में आईपी आधारित सीसीटीवी समाधान (डीएमएमपी- II) का कार्यान्वयन।

प्रिय महोदय/महोदया,

यह पत्र, ऊपर उल्लिखित विषय के संबंध में हमारे पिछले पत्र संख्या भा.आ.प.- कम्प्यूटर/401/2018/151073-151622 दिनांक 10.12.2018 और पत्र संख्या भा.आ.प.- कम्प्यूटर/401/2018/127991-128534 दिनांक 07.08.2018 के क्रम में है। इस संबंध में आपको सूचित किया जाता है कि आपके कालेज परिसर में तीन कैमरों में से एक कैमरा कक्षा (व्याख्यान थिएटर) में, एक प्रयोगात्मक प्रयोगशाला (पैथोलॉजी) में और तीसरा ओपीडी में, संस्थापित किया जाएगा।

आपसे अनुरोध है कि सिस्टम इंटीग्रेटर (मैसर्स बोधदी कंसल्टिंग लिमिटेड) द्वारा यथा अपेक्षित, दिनांक 10.12.2018 के पत्र के अंतर्गत आप पहले ही संसूचित आवश्यकताओं के अलावा निम्नलिखित को सुनिश्चित करें :-

1. आईपीसेक राउटर का प्रापण करना और कालेज तथा भारतीय आयुर्विज्ञान परिषद् आंकड़ा केन्द्र के बीच संयोजन करने के लिए पब्लिक आईपी उपलब्ध कराना, यदि कालेज ने इंटरनेट लीज्ड लाइन (आईएलएल) लेने का निर्णय लिया है।
2. एसआई द्वारा यथाअपेक्षित, 5 एमबीपीएस या इससे अधिक के समर्थित बैंडविथ वाले स्विचों के साथ इंटरनेट संयोजनीयता, वरीयतः मल्टी-प्रोटोकॉल लेबल स्विचिंग (एमपीएलएस) के जरिए इंटरनेट संयोजनीयता उपलब्ध कराना। इंटरनेट लाइन के लिए खर्च और वार्षिक किराया प्रभार, कालेज/संस्थान द्वारा वहन किया जाएगा।

आपसे यह अनुरोध भी है कि निम्नलिखित ब्योरों की स्थिति प्रस्तुत करें :-

क्र.सं.	अपेक्षित ब्योरे	हां/नहीं
1.	क्या एसआई द्वारा भेजे गए 1 स्विच के साथ तीन कैमरे आपके द्वारा प्राप्त किए गए हैं ?	
2.	क्या स्विच के साथ तीन कैमरे, आपके कालेज के (1) कक्षा में (2) पैथोलॉजी प्रयोगशाला में (3) ओपीडी में एसआई द्वारा संस्थापित कर दिए गए हैं ?	
3.	क्या ये कैमरे, सीएटी-6 केबल के जरिए नेटवर्क स्विच के साथ जुड़े हुए हैं ?	
4.	क्या स्विच और तीन कैमरों के बीच संयोजनीयता का परीक्षण एसआई इंजीनियर द्वारा कर लिया गया है ?	
5.	क्या नेटवर्क स्विच, यूपीएस सिस्टम द्वारा समर्थित है ?	
6.	क्या कैमरे, भारतीय आयुर्विज्ञान परिषद् आंकड़ा केन्द्र में सीसीटीवी निगरानी करने के लिए इंटरनेट संयोजनीयता के साथ जुड़े हुए हैं ?	

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : mci@bol.net.in

वेबसाइट /Website : www.mciindia.org



पॉकेट -14, सेक्टर-8, द्वारका,
फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase - 1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS

IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

7.	कृपया इंटरनेट संयोजनीयता के प्रकार का उल्लेख करें (आईएलएल/एमपीएलएस)/इंटरनेट लीज्ड लाइन (आईएलएल) के मामले में, आईपीसेक राउटर और पब्लिक आईपी के ब्योरे उपलब्ध कराए जाएं।	
8.	कोई अन्य टिप्पणी/अभ्युक्ति।	

- यदि कालेजों के पास सशस्त्र बल चिकित्सा सेवा अध्यापन अस्पताल हैं या वे राष्ट्रीय प्रतिरक्षा संस्थापना के अधीन हैं तो उक्त कालेजों के लिए आईपी आधारित सीसीटीवी समाधान के कार्यान्वयन से छूट दी जा सकती है।
- ऐसे मामले में जहां अस्पताल ओपीडी अलग कर दी गई है या कक्षा तथा पैथोलॉजी प्रयोगशाला के परिसर से दूर है तो अस्पताल परिसर और कालेज परिसर दोनों के लिए अलग इंटरनेट संयोजनीयता (आईएलएल/एमपीएलएस), कालेज प्राधिकारियों द्वारा प्राप्त कराई जानी आवश्यक है।

आपसे अनुरोध है कि " 50/100/150/200/250 दाखिले प्रतिवर्ष के लिए मेडिकल कालेज के लिए न्यूनतम मानक शर्तें विनियमावली, 1999 " के खंड संख्या क.1. 23(ख) का अनुपालन करें और अपने कालेज परिसर में आईपी आधारित सीसीटीवी समाधान के कार्यान्वयन में एसआई के प्रतिनिधि के साथ सहयोग करें। कृपया एसआई द्वारा क्रम सं. 1 व 2 पर दी गई अपेक्षिताओं को दिनांक 15/02/2019 तक पूरा किया जाना भी सुनिश्चित करें।

विनियमावली के उपबंधों का अनुपालन न करने को गंभीरता से लिया जाएगा। उपर्युक्त विनियम के कार्यान्वयन और इस परियोजना के सफल निष्पादन के लिए हम आपका सहयोग और समर्थन चाहते हैं।

आपसे अनुरोध है कि डीएमएमपी-II से संबंधित किसी भावी पत्र व्यवहार के लिए ई-मेल आईडी cctv.dmmp2@mciindia.org और helpdesk.dmmp2@mciindia.org का इस्तेमाल करें।

भवदीय,


(डॉ. संजय श्रीवास्तव)
महासचिव

प्रति निम्नलिखित को :

1. भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड, अध्यक्ष के निजी सचिव।
2. भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड, महासचिव के वैयक्तिक सहायक।
3. उप-सचिव (प्रशा./वित्त), भारतीय आयुर्विज्ञान परिषद् ।
4. कम्प्यूटर प्रोग्रामर ।
5. मैसर्स बौध्दी कंसल्टिंग लिमिटेड।
6. गार्ड फाईल (कंप्यूटर अनुभाग)।

दूरभाष/Phone: 25367033, 25367035, 25367036

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाइट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,

द्वारका फेस-1, नई दिल्ली-110077

Pocket- 14, Sector- 8, Dwarka,

Phase-I, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड
BOARD OF GOVERNORS
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI-Computer/401/2018/ 163675-164205

Date:16.01.2019

To,
The Dean/Principal
All Medical Colleges/PG Institutions of India

Sub: Implementation of IP Based CCTV solution at Medical Colleges (DMMP II) – Reg.

Dear Sir/ Madam,

This is in continuation to our earlier letter No.MCI-Computer/401/151073-151622 dated 10.12.2018 and letter No. MCI-Computer/401/127991-128534 dated 07.08.2018 regarding the subject mentioned above, this is to inform you that out of three cameras, one camera in the class room (lecture theatre), one in the practical lab (pathology lab) and 3rd one in the OPD shall be installed at your college premises.

You are requested to ensure the following in addition to the requirements already communicated to you , vide letter dated 10.12.2018, as desired by the System Integrator (M/s. Bodhtree Consulting Ltd.): -

1. To procure IPsec Router and to provide the Public IP to connect between the college and MCI Data Centre, in case the college has decided to go for Internet Leased Line (ILL).
2. To provide internet connectivity to switches with dedicated bandwidth of 5 MBPS or more preferably through Multi-Protocol Label Switching (MPLS) line as desired by SI. The expenditure and the annual rental charges for the internet line shall be borne by the College/Institute.

You are also requested to submit the status of the following details:-

S.No.	Details required	YES / NO
1	Whether the 3 cameras along with 1 switch sent by SI has been received by you?	
2	Whether the 3 cameras along with the switch has been installed by SI (1) in the Class Room (2) in the Pathology lab (3) in the OPD of your college?	
3	Whether the cameras are connected with the network switch through CAT-6 cable?	
4	Whether the connectivity between switch and 3 cameras has been tested by the SI Engineer?	
5	Whether the network switch is backed up by UPS system?	
6	Whether the cameras are connected with the internet connectivity to visualize the CCTV surveillance at MCI data center?	

दूरभाष/Phone: 25367033, 25367035, 25367036

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाईट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,

द्वारका फेस-1, नई दिल्ली-110077

Pocket- 14, Sector- 8, Dwarka,

Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

7	Please mention the type of internet connectivity (ILL/ MPLS). In case of Internet Leased Line (ILL), details of IPsec Router and Public IP be provided.	
8	Any other comments/remarks.	


- In case, the colleges having Armed Force Medical Services teaching hospital or under National Defence Establishment, the implementation of IP based CCTV solutions for the said colleges can be waived off.
- In case where the hospital OPD is separated or far away from the campus of the class room as well as pathology lab, separate internet connectivity (ILL/MPLS) for both hospital campus and college campus are required to be procured by the college authority.

You are directed to comply with the clause No A.1.23(b) of "Minimum Standard Requirements for the Medical College for 50,100,150,200,250 Admissions Annually Regulations, 1999" and cooperate with the representative of SI in implementing IP based CCTV solution at your college premises. Please also ensure to complete the requirement as desired by SI at Sr. No. 1 & 2 latest by 15.02.2019.

The non-compliance of the provisions in the Regulations will be viewed very seriously. We seek your cooperation and support for implementation of above said regulation and successful execution of the project.

You are requested to use the email id cctv.dmmp2@mciindia.org & helpdesk.dmmp2@mciindia.org for any future correspondence regarding DMMP-II.

Yours Faithfully,


(Dr. Sanjay Shrivastava)
Secretary General

Copy to:

- 1) PS to Chairman, Medical Council of India
- 2) PA to Secretary General, Medical Council of India,
- 3) Deputy Secretary (Admn./Finance), Medical Council of India
- 4) Computer Programmer
- 5) M/s Bodhtree Consulting Ltd.
- 6) Guard File (Computer Section)

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : mcii@bol.net.in

वेबसाईट /Website : www.mciindia.org



पॉकेट -14, सेक्टर-8, द्वारका,
फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase - 1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

सं. भा.आ.प.- कम्प्यूटर/401/2018/ 151073

दिनांक : 10.12.2018

सेवा में,

डीन/प्रधानाचार्य,

भारत के सभी मेडिकल कालेज/स्नातकोत्तर संस्थान

विषय: मेडिकल कालेजों में आई पी आधारित सीसीटीवी समाधान का कार्यान्वयन।

प्रिय महोदय/महोदया,

यह पत्र, उपर्युक्त विषय पर हमारे दिनांक 07.08.2018 के पिछले पत्र संख्या 127991-128534 के क्रम में है। इस संबंध में आपको सूचित किया जाता है कि आपके कालेज के परिसर में तीन कैमरे, एक कैमरा कक्षा (व्याख्यान थिएटर) में, एक कैमरा प्रयोगात्मक प्रयोगशाला (रोगविज्ञान प्रयोगशाला) में और तीसरा कैमरा बहिरंग रोगी विभाग में, संस्थापित किए जाएंगे।

आपसे पुनः अनुरोध है कि कृपया निम्नलिखित सुनिश्चित करें जैसाकि सिस्टम इंटीग्रेटर (मैसर्स बोधट्री कंसल्टिंग लिमिटेड) द्वारा कहा गया है :-

1. तीन कैमरे और एक स्विच सामग्री प्राप्त करना और हमें रसीद भेजना, इन्हें सुरक्षित अभिरक्षा में रखना और आपके कालेज में सर्वेक्षण तथा संस्थापन के लिए उनके दौरे के दौरान उनके इंजीनियर को सौंपना।
2. इंजीनियर के नियत दौरे से पर्याप्त पहले, एक कक्षा (व्याख्यान थिएटर), एक रोगविज्ञान प्रयोगशाला और बहिरंग रोगी पंजीकरण पटल को अंतिम रूप से तय करना।
3. संस्थापित किए जाने वाले नेटवर्क स्विच के स्थान की पहचान करना और मौजूदा रैक में स्थान उपलब्ध कराना या 3 से 4 के 5/15 एएमपी पावर पाइंटों वाली नई टैक (4यू आकार की), केबल मैनेजर, रैक ट्रे और फैन माड्यूल का प्रापण/व्यवस्था करना।
4. स्विच और सभी तीन कैमरा स्थानों के बीच कैब 6 केबल बिछाना और कैमरे के अंतिम छोर पर आई/ओ बाक्स उपलब्ध कराना। यदि स्विच और कैमरे के बीच का फासला 90 मीटर से अधिक है तो फाइबर केबल बिछाए जाने की आवश्यकता हो सकती है। आवश्यक निर्देश, एसआई इंजीनियर द्वारा उपलब्ध कराए जाएंगे। सभी सामग्रियां, कालेज/संस्थान द्वारा उपलब्ध कराई जानी आवश्यक है।
5. मौजूदा यूपीएस से 1 केवीए यूपीएस पावर उपलब्ध कराना या स्विच के लिए ½ घंटे के बैक अप वाले नए 1 केवीए यूपीएस का प्रापण/व्यवस्था करना।
6. सर्वेक्षण और संस्थापन क्रियाकलाप पहले ही 13 अगस्त, 2018 से आरंभ कर दिया गया है। वे, प्रत्येक कालेज में इंजीनियर के दौरे का विस्तृत कार्यक्रम साझा करेंगे।
7. प्रत्येक कालेज के लिए यह आवश्यक है कि वह, कालेज में एसआई इंजीनियर के दौरे के दौरान उसके द्वारा अपेक्षित सीढ़ी और कोई अन्य सहायता उपलब्ध कराए।
8. तकनीकी व्यक्ति, वरीयतः सूचना प्रौद्योगिकी से संबंधित व्यक्ति, नोडल अधिकारी के साथ-साथ सर्वेक्षण और संस्थापन कार्य में शामिल हो।

दूरभाष/Phone : 25367033, 25367035, 25367036

फैक्स /Fax : 0091-11-25367024

ई-मेल /E-mail : mci@bol.net.in

वेबसाईट /Website : www.mciindia.org



पॉकेट -14, सेक्टर-8, द्वारका,
फेस-1, नई दिल्ली-110077
Pocket- 14, Sector- 8, Dwarka,
Phase - I, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

- नियत तारीख को इंजीनियर के दौरे के दौरान नोडल अधिकारी या उसके प्रतिनिधि की उपलब्धता सुनिश्चित कराना, ताकि सर्वेक्षण और संस्थापन क्रियाकलाप निर्बाध रूप से किया जा सके। इंजीनियर, भारतीय आयुर्विज्ञान परिषद् के निर्देश के अनुसार, कक्षा, रोगविज्ञान प्रयोगशाला और बहिरंग रोगी विभाग के पंजीकरण पटल में एक-एक कैमरा संस्थापित करने के लिए सही स्थान की पहचान करने के लिए, नोडल अधिकारी और तकनीकी व्यक्ति के साथ सर्वेक्षण करेगा। सर्वेक्षण के दौरान, इंजीनियर स्विच और सभी तीन कैमरों के बीच कैंट 6 केबल/फाइबर बिछाने की आवश्यक सूचना उपलब्ध कराएगा और तीन कैमरे तथा स्विच भौतिक रूप से संस्थापित करेगा।
- इंजीनियर के दौरे की तारीख 10 दिन के अंदर (यदि सर्वेक्षण से पहले उपलब्ध नहीं कराई गई है) उपर्युक्त सभी अवसंरचना उपलब्ध कराना और ई-मेल के जरिए एसआई तथा भारतीय आयुर्विज्ञान परिषद् को इसकी पुष्टि करना।
- दिनांक 07.08.2018 के पिछले पत्र संख्या 127991-128534 में उल्लिखित पाइंट संख्या 11 को निम्नलिखित से संशोधित कर दिया गया है, जैसाकि इस पत्र में पाइंट संख्या 12 में उल्लिखित है।
- 5 एमबीपीएस या इससे अधिक के समर्पित बैंडविड्थ के साथ, वरीयतः मल्टीप्रोटोकॉल लेबल स्विचिंग (एमपीएलएस) लाइन के जरिए, जैसाकि एसआई द्वारा कहा गया है, स्विचों की इंटरनेट संयोजनीयता उपलब्ध कराना। इंटरनेट लाइन के लिए खर्च और वार्षिक किराया प्रभार, कालेज/संस्थान द्वारा वहन किया जाएगा।
- एसआई इंजीनियर के दौरे के दौरान, नोडल अधिकारी द्वारा एक रिपोर्ट पर हस्ताक्षर करना आवश्यक होगा।

आपको निर्देश दिया जाता है कि "प्रतिवर्ष 50,100,150,200,250 दाखिले के लिए मेडिकल कालेजों के लिए न्यूनतम मानक शर्तें विनियमावली, 1999" के खंड संख्या क.1.23(ख) का अनुपालन करें और अपने कालेज परिसरों में आईपी आधारित सीसीटीवी समाधान कार्यान्वित करने में एसआई के प्रतिनिधि के साथ सहयोग करें।

विनियमावली में दिए गए उपबंधों का अनुपालन न करने को बहुत गंभीरता से लिया जाएगा। हम उपर्युक्त विनियमों के कार्यान्वयन और परियोजना के सफल निष्पादन के लिए आपका सहयोग और समर्थन चाहते हैं।

आपसे अनुरोध है कि डीएमएमपी-II के संबंध में किसी भावी पत्र व्यवहार के लिए ई-मेल आईडी (cctv.dmmp2@mciindia.org और helpdesk.dmmp2@mciindia.org) का इस्तेमाल करें।

भवदीय,


(डॉ. संजय श्रीवास्तव)
महासचिव

प्रति निम्नलिखित को :

- अध्यक्ष, भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड के निजी सचिव।
- महासचिव, भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड के वैयक्तिक सहायक।
- उप-सचिव (प्रशा./वित्त), भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड।
- कम्प्यूटर प्रोग्रामर
- मैसर्स बौध्दी कंसल्टिंग लिमिटेड।
- गार्ड फाईल।

दूरभाष/Phone: 25367033, 25367035, 25367036

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाईट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,

द्वारका फेस-1, नई दिल्ली-110077

Pocket- 14, Sector- 8, Dwarka,

Phase-I, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड
BOARD OF GOVERNORS
IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

No. MCI-Computer/401/2018/ 151073.

Date: 10.12.2018

To,
The Dean/Principal
All Medical Colleges/PG Institutions of India

Sub: Implementation of IP Based CCTV solution at Medical Colleges (DMMP II) – Reg.

Dear Sir/ Madam,

This is in continuation to our earlier letter No. 127991-128534 dated 07.08.2018 regarding the subject mentioned above, this is to inform you that the three cameras, one camera in the class room (lecture theatre), one in the practical lab (pathology lab) and 3rd one in the OPD shall be installed at your college premises.

You are once again requested to ensure the following as desired by the System Integrator (M/s. Bodhtree Consulting Ltd.): -

1. To receive the three cameras and one switch material, send us the receipt, keep it in safe custody and hand over to their engineer during their visit for survey & installation in your college.
2. Finalize one class room (lecture theatre), one pathology lab and OPD registration counter, well in advance before the scheduled visit of engineer.
3. Identification of location of network switch to be installed and provide space in the existing rack or procure/arrange new rack (4U Size) with 3 to 4 nos. of 5/15Amp power points, cable manager, rack tray and fan module.
4. To lay the CAT 6 cable between switch & all 3-camera location and provide I/O Box at camera end side. If the distance between switch and camera is more than 90 meter, fiber cable may be required to be laid. Necessary Guidelines will be provided by SI Engineer. All the materials required to be provided by the College/Institution.
5. To provide 1 KVA UPS power from existing UPS or procure/arrange new 1 KVA UPS with ½ hour backup for switch.
6. Survey and installation activity already started from 13th August, 2018 onwards. They will share the detailed schedule for engineer's visit at each college.
7. Each college is requested to provide Ladder and any other assistance required by SI engineer during their visit to college.
8. Technical person preferable IT related to join survey & installation along with nodal officer.

दूरभाष/Phone: 25367033, 25367035, 25367036

फैक्स/Fax : 0091-11-25367024

ई-मेल/E-mail: mci@bol.net.in

वेबसाइट/Website: www.mciindia.org



पॉकेट - 14, सेक्टर - 8,

द्वारका फेस-1, नई दिल्ली-110077

Pocket- 14, Sector- 8, Dwarka,

Phase-1, New Delhi-110077

भारतीय आयुर्विज्ञान परिषद् के अधिक्रमण में शासी बोर्ड

BOARD OF GOVERNORS

IN SUPERSESSION OF MEDICAL COUNCIL OF INDIA

9. To ensure the availability of nodal office or their representative during engineer's visit on the scheduled date, so that survey & installation activity can be carried out smoothly. Engineer will conduct survey along with Nodal officer and Technical person to identify the exact location to install camera one each in one of the class room, pathology lab and OPD registration counter as per direction of MCI. During the survey engineer will provide the necessary information of laying of the CAT6 cable/fiber between switch & all 3 cameras and physically install the three camera as well as switch.
10. To provide all above infrastructure within 10 days (if not made available before survey) from the date their engineer visit and confirm the same to SI & MCI via email.
11. The point No 11 as mentioned in the earlier letter No 127991-128534 dated 07.08.2018 has been modified with the following as mentioned in the Point No 12 in this letter.
12. To provide internet connectivity to switches with dedicated bandwidth of 5 MBPS or more preferably through Multi-Protocol Label Switching (MPLS) line as desired by SI. The expenditure and the annual rental charges for the internet line shall be borne by the College/Institute.
13. A report will be required to be signed by Nodal Officer during the visit of SI Engineer.

You are directed to comply with the clause No A.1.23(b) of "Minimum Standard Requirements for the Medical College for 50,100,150,200,250 Admissions Annually Regulations, 1999" and cooperate with the representative of SI in implementing IP based CCTV solution at your college premises.

The non-compliance of the provisions in the Regulations will be viewed very seriously. We seek your cooperation and support for implementation of above said regulation and successful execution of the project.

You are requested to use the email id (cctv.dmmp2@mciindia.org & helpdesk.dmmp2@mciindia.org) for any future correspondence regarding DMMP-II.

Yours Faithfully,


10/12/18
Dr. Sanjay Shrivastava
Secretary General

Copy to:

- 1) PS to Chairman, Medical Council of India
- 2) PA to Secretary General, Medical Council of India,
- 3) Deputy Secretary (Admn./Finance), Medical Council of India
- 4) Computer Programmer
- 5) M/s Bodhtree Consulting Ltd.
- 6) Guard File

Phone : 25367033, 25367035, 25367036
दूरभाष : 25367033, 25367035, 25367036
Fax : 0091-11-25367024
फैक्स : 0091-11-25367024
E-mail : mci@bol.net.in
Website : www.mciindia.org



पॉकेट 14, सेक्टर 8,
द्वारका
नई दिल्ली 110077
Pocket- 14, Sector- 8,
Dwarka Phase - I
New Delhi-110077.

भारतीय आयुर्विज्ञान परिषद् MEDICAL COUNCIL OF INDIA

सं. भा.आ.प.-कंप्यूटर/401/2018/ 127991 - 128534

दिनांक : 07/08/18

सेवा में,

डीन / प्रधानाचार्य,

भारत के सभी मेडिकल कॉलेज / स्नातकोत्तर संस्थान

विषय : मेडिकल कॉलेजों में आईपी आधारित सीसीटीवी समाधान (डीएमएमपी II) का कार्यान्वयन - के संबंध में।

प्रिय महोदय / महोदया,

उपर्युक्त विषयक हमारे दिनांक 09.03.2018 के पूर्व पत्र संख्या भा.आ.प.-कंप्यूटर/ 401/2018 /178093-178641 के क्रम में आपको सूचित किया जाता है कि परिषद की कार्यकारी समिति की दिनांक 05.06.2018 को हुई बैठक में यह निर्णय लिया गया है कि तीन कैमरों में से एक कैमरा क्लास रूम (व्याख्यान हॉल) में, एक व्यावहारिक प्रयोगशाला (पैथोलॉजी लैब) में और तीसरा कैमरा ओपीडी में स्थापित किया जाएगा, ताकि रोगियों के आने-जाने पर निगरानी रखी जा सके।

इस संबंध में, सिस्टम इंटीग्रेटर (मैसर्स बोधट्री कंसल्टिंग लिमिटेड) ने प्रत्येक कॉलेज के लिए सामग्री (3 कैमरे और 1 स्विच) भेजने की प्रक्रिया प्रारंभ कर दी है और उन्होंने ईमेल द्वारा संबंधित नोडल अधिकारी को परेषित माल (कंसाइमेंट) के विवरण के बारे में भी सूचित कर दिया गया है।

आपसे अनुरोध है कि सिस्टम इंटीग्रेटर को वांछित निम्नलिखित जानकारी उपलब्ध कराने के बारे में सुनिश्चित करें:-

1. इस सामग्री को प्राप्त करने के उपरांत हमें इसकी प्राप्ति रसीद भेजें। सामग्री को सुरक्षित निगरानी में रखें और जब उनके इंजीनियर सर्वेक्षण और स्थापना के लिए कॉलेज में आए तो इसे उन्हें सौंप दें।
2. इंजीनियरों द्वारा निर्धारित किए गए दौरा कार्यक्रम से पहले ही एक क्लास रूम (व्याख्यान हॉल), एक पैथोलॉजी प्रयोगशाला और ओपीडी पंजीकरण काउंटर को तैयार करके उसे अंतिम रूप दें।
3. नेटवर्क स्विच को जहां पर स्थापित किया जाना है उस स्थान की पहचान कर लें और मौजूदा रैक में स्थान उपलब्ध कराएं या (6 यू आकार के) नए रैक खरीदें/ व्यवस्थित करें जिसमें 3 से 4 संख्या में 5/15 एम्पीयर के पावर प्वाइंट्स, केबल मैनेजर, रैक ट्रे और फैन मॉड्यूल उपलब्ध हों।
4. सीएटी डालने के लिए स्विच और सभी 3-कैमरा स्थान के बीच 6 केबल और कैमरे के अंत में आई/ओ बॉक्स उपलब्ध कराएं। अगर स्विच और कैमरा के बीच की दूरी 90 मीटर से ज्यादा है तो बिछाने के लिए फाइबर केबल की आवश्यकता होगी। आवश्यक मार्गदर्शन एसआई इंजीनियर द्वारा उपलब्ध कराया जाएगा।
5. मौजूदा यूपीएस से। केवीए पावर सप्लाई उपलब्ध कराएं या स्विच के लिए ½ घंटे बैकअप के साथ नया। केवीए का यूपीएस खरीदें/ व्यवस्था करें।
6. स्थापना कार्य की गतिविधियों के लिए सर्वेक्षण 13 अगस्त के बाद शुरू हो जाएगा। वे प्रत्येक कॉलेज में इंजीनियर के दौरे के बारे में विस्तृत कार्यक्रम साझा करेंगे।

क्रमशः.....

Phone : 25367033, 25367035, 25367036
दूरभाष : 25367033, 25367035, 25367036
Fax : 0091-11-25367024
फैक्स : 0091-11-25367024
E-mail : mci@bol.net.in
Website : www.mciindia.org



पॉकेट 14, सेक्टर 8,
द्वारका
नई दिल्ली 110077
Pocket- 14, Sector- 8,
Dwarka Phase - I
New Delhi-110077.

भारतीय आयुर्विज्ञान परिषद्
MEDICAL COUNCIL OF INDIA

No.MCI-Computer/401/2018/12799/-128534, Date: 07/08/18

To
The Dean/Principal
All Medical Colleges/PG Institutions of India

Sub: Implementation of IP Based CCTV solution at Medical Colleges (DMMP II) – Reg.

Dear Sir/ Madam,

This is in continuation to our earlier letter No. MCI-Computer/401/2018/178093-178641 dated 09.03.2018 regarding the subject mentioned above, this is to inform you that the Executive Committee of the Council at its meeting held on 05.06.2018 has decided that out of three cameras, one camera shall be installed in the class room (lecture theatre), one in the practical lab (pathology lab) and 3rd one in the OPD so as to monitor OPD patient flow.

In this connection, the System Integrator (M/s. Bodhtree Consulting Ltd.) have started moving the material (3 cameras and 1 switch) to each college and they have informed the consignment details to respective nodal officer by email.

You are requested to ensure the following as desired by the System Integrator: -

1. To receive these material, send us the receipt, keep it in safe custody and hand over to their engineer during their visit for survey & installation in their college.
2. Finalize one class room (lecture theatre), one pathology lab and OPD registration counter, well in advance before the scheduled visit of engineer.
3. Identification of location of network switch to be installed and provide space in the existing rack or procure/arrange new rack (6U Size) with 3 to 4 nos. of 5/15Amp power points, cable manager, rack tray and fan module.
4. To lay the CAT 6 cable between switch & all 3-camera location and provide I/o Box at camera end side. If the distance between switch and camera is more than 90 meter, fiber cable may be required to be laid. Necessary Guidelines will be provided by SI Engineer.
5. To provide 1 KVA UPS power from existing UPS or procure/arrange new 1 KVA UPS with 1/2 hour backup for switch.
6. Survey and installation activity will start from 13th August onward. They will share the detailed schedule for engineer's visit at each college.

Contd....

Phone : 25367033, 25367035, 25367036
दूरभाष : 25367033, 25367035, 25367036
Fax : 0091-11-25367024
फैक्स : 0091-11-25367024
E-mail : mci@bol.net.in
Website : www.mciindia.org



पॉकेट 14, सेक्टर 8,
द्वारका
नई दिल्ली 110077
Pocket- 14, Sector- 8,
Dwarka Phase - I
New Delhi-110077.

भारतीय आयुर्विज्ञान परिषद् MEDICAL COUNCIL OF INDIA

-2-


7. प्रत्येक कॉलेज से अनुरोध है कि एसआई इंजीनियर के कॉलेज आने के दौरान उन्हें आवश्यक सीढ़ी और कोई अन्य सहायता की आवश्यकता हो, तो प्रदान की जाए।
8. किसी तकनीकी व्यक्ति, बेहतर होगा सूचना प्रौद्योगिकी से संबंधित व्यक्ति को नोडल अधिकारी के साथ सर्वेक्षण और संस्थापना कार्य के लिए शामिल किया जाए।
9. इंजीनियर के निर्धारित तिथि पर दौरे के दौरान नोडल अधिकारी या उनके प्रतिनिधि की उपलब्धता सुनिश्चित की जाए ताकि सर्वेक्षण और स्थापना कार्य बिना किसी समस्या के आसानी पूर्वक पूरा किया जा सके। भारतीय आयुर्विज्ञान परिषद् के निर्देशानुसार इंजीनियर नोडल अधिकारी के साथ मिलकर क्लास रूम, पैथोलॉजी लैब और ओपीडी पंजीकरण काउंटर में प्रत्येक में एक कैमरे को स्थापित करने के लिए सही स्थान की पहचान करने के लिए सर्वेक्षण करेंगे। सर्वेक्षण के दौरान इंजीनियर द्वारा स्विच और सभी 3 कैमरों के बीच सीएटी 6 केबल फाइबर डालने की आवश्यक जानकारी उपलब्ध करायी जाएगी और तीन कैमरों के साथ-साथ स्विच को प्रत्यक्ष रूप से संस्थापित किया जाएगा।
10. जब इंजीनियर कॉलेज का दौरा करते हैं और एसआई व भारतीय आयुर्विज्ञान परिषद् को ईमेल के माध्यम से इसकी पुष्टि करते हैं तब से 15 दिनों के अंदर (यदि सर्वेक्षण से पहले उपलब्ध नहीं कराई) पूरी अवसंरचना उपलब्ध करायी जाएगी।
11. परिषद् एकल एजेंसी की पहचान करने और कॉलेज और भारतीय आयुर्विज्ञान परिषद् के बीच कनेक्टिविटी प्रदान करने के लिए दूर तय करने की प्रक्रिया में है। अंतिम रूप से तय की गई एजेंसी कनेक्टिविटी प्रदान करने के लिए प्रत्येक कॉलेज के नोडल अधिकारी से संपर्क करेगी। इसकी स्थापना के दौरान कॉलेज द्वारा सभी प्रकार की आवश्यक सहायता और अनुमति प्रदान की जानी चाहिए। प्रत्येक कॉलेज को भारतीय आयुर्विज्ञान परिषद् द्वारा तय किए गए शुल्कों का भी भुगतान करना होगा। भारतीय आयुर्विज्ञान परिषद् द्वारा अंतिम रूप से तय की जाने वाली एजेंसी के दौरान इन तौर तरीकों को तैयार किया जाएगा।
12. एसआई इंजीनियर के दौरे के दौरान नोडल अधिकारी द्वारा एक रिपोर्ट पर हस्ताक्षर किए जाएंगे।

आपको "50,100,150,200,250 दाखिले प्रतिवर्ष की न्यूनतम मानक शर्तें विनियमावली, 1999" के खंड संख्या क।1.23 (ख) का अनुपालन करने के लिए निर्देशित किया जाता है और अपने कॉलेज परिसर में आईपी आधारित सीसीटीवी समाधान को कार्यान्वयन करने हेतु एसआई के प्रतिनिधि को सहयोग प्रदान करें।


आपसे अनुरोध है कि [डीएमएमपी -2](mailto:helpdesk.dnmp2@mciindia.org) के संबंध में भविष्य के पत्राचार के लिए ईमेल आईडी (helpdesk.dnmp2@mciindia.org) का उपयोग करें।

हम उपर्युक्त विनियमन और परियोजना के सफल कार्यान्वयन के निष्पादन हेतु आपके सहयोग और समर्थन की आशा करते हैं।

भवदीया,


(डॉ रीना नय्यर)

सचिव (प्रभारी)


नाडा

प्रतिलिपि :

- 1) अध्यक्ष के निजी सचिव, भारतीय आयुर्विज्ञान परिषद्।
- 2) अध्यक्ष, प्रशासन और शिकायत समिति, भारतीय आयुर्विज्ञान परिषद्।
- 3) उप सचिव (प्रशासन), भारतीय आयुर्विज्ञान परिषद्।
- 4) कंप्यूटर प्रोग्रामर।
- 5) मैसर्स बोधट्री कंसल्टिंग लिमिटेड।

Phone : 25367033, 25367035, 25367036
दूरभाष : 25367033, 25367035, 25367036
Fax : 0091-11-25367024
फैक्स : 0091-11-25367024
E-mail : mci@bol.net.in
Website : www.mciindia.org



पॉकेट 14, सेक्टर 8,
द्वारका
नई दिल्ली 110077
Pocket- 14, Sector- 8,
Dwarka Phase - I
New Delhi-110077.

भारतीय आयुर्विज्ञान परिषद् MEDICAL COUNCIL OF INDIA

-2-

7. Each college is requested to provide Ladder and any other assistance required by SI engineer during their visit to college.
8. Technical person preferable IT related to join survey & installation along with nodal officer.
9. To ensure the availability of nodal office or their representative during engineer's visit on the scheduled date, so that survey & installation activity can be carried out smoothly. Engineer will conduct survey along with Nodal officer and Technical person to identify the exact location to install camera one each in one of the class room, pathology lab and OPD registration counter as per direction of MCI. During the survey engineer will provide the necessary information of laying of the CAT6 cable/fiber between switch & all 3 cameras and physically install the three camera as well as switch.
10. To provide all above infrastructure within 15 days (if not made available before survey) from the date their engineer visit and confirm the same to SI & MCI via email.
11. The Council is in process to identify single agency and fix the rate for providing connectivity between college and MCI. The finalized agency will contact the Nodal officer of each college to provide the connectivity. All necessary help and permission will have to be provided by college during the installation. Each college will also pay the charges fixed by MCI. The modalities will be worked out at the time of finalization of agency by MCI.
12. A report will be required to be signed by Nodal Officer during the visit of SI Engineer.

You are directed to comply with the clause No A.1.23(b) of "Minimum Standard Requirements for the Medical College for 50,100,150,200,250 Admissions Annually Regulations, 1999" and cooperate with the representative of SI in implementing IP based CCTV solution at your college premises.

You are requested to use the email id (helpdesk.dmmp2@mciindia.org) for any future correspondence regarding DMMP-II.

We seek your cooperation and support for implementation of above said regulation and successful execution of the project.

Yours Faithfully,


Dr. Reena Nayyar)
Secretary (I/c.)

Copy to:

- 1) PS to President, Medical Council of India
- 2) Chairman, Administration and Grievance Committee, Medical Council of India
- 3) Deputy Secretary(Admn.), Medical Council of India
- 4) Computer Programmer
- 5) M/s Bodhtree Consulting Ltd

QC A
07/01/11